

APPLICATION FOR TOWNSHIP HIGHWAY OCCUPANCY PERMIT

_____ Township, _____ County

CALL BEFORE YOU DIG!
PENNSYLVANIA LAW REQUIRES
3 WORKING DAYS NOTICE FOR
CONSTRUCTION PHASE
-- STOP CALL 811
Pennsylvania One Call System, Inc.

Township Contact Information:

Any work performed within the right-of-way of a township road requires submission of two copies of this form along with two copies of sketch showing location and details of the proposed work.
Any work performed on a township road over, under, or within, the limits of a limited access state highway, requires a state permit.
The prescribed permit fee shall accompany the application and sketch. Schedules of fees are furnished on request.

APPLICANT INFORMATION

Name: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Phone: _____ Fax: _____

LOCATION WHERE WORK IS TO BE COMPLETED

Township street or address: _____
Township: _____
County: _____

Applicant is an (please circle response): *Individual* *Partnership* *Corporation*

Anticipated start date: _____ Anticipated completion date: _____

Required Data: The road surface is improved to a width of _____ ft. Distance from center of line to roadway or gutter or ditch: _____ ft.
Distance from center line of road to right-of-way line: _____ ft.

Number of poles to be erected: _____. Nearest distance from center of road to structure: _____ ft. Distance of proposed work along road _____ ft.

The improved surface of the road (*will*) (*will not*) be opened. Approximate area of openings in improved surface: _____ sq ft. Length of trench along road: _____ ft. Depth of trench below surface: _____ in.

DESCRIPTION AND PURPOSE OF WORK (Attach additional sheets as necessary)

Applicant Signature: _____ Date: _____

FOR TOWNSHIP USE ONLY: DENIED APPROVED Permit Issue Date: _____

Work to be completed by: _____ Permit # _____

Application Fee: _____ Inspection Fee: _____ Total: _____

Plans required: NO YES If yes, are plans satisfactory: NO YES

Traffic control plan consistent with MUTCD: NO YES

White Copy Applicant

Yellow Copy Township

HIGHWAY OCCUPANCY PERMIT

Permit # _____

FEE CALCULATION SHEET

These fees are applied to the administrative costs incurred in reviewing the application and plan(s) and issuing the permit, including the preliminary review of the site location.

	<u>Unit Fee</u>	<u>Number of Units</u>	<u>Total</u>
1) Application Fee			
a) Utility	\$50.00		
b) Driveways			
(i) minimum use <i>(e.g. single-family dwelling, apartments with five or fewer units)</i>	\$15.00		
(ii) low volume <i>(e.g. office buildings, car washes)</i>	\$30.00		
(iii) medium volume <i>(e.g. motels, fast food restaurants, service stations, small shopping plazas)</i>	\$40.00		
(iv) high volume <i>(e.g. large shopping centers, multi-building apartment or office complexes)</i>	\$50.00		
c) Other <i>(e.g. bank removal, sidewalk and curb)</i>	\$20.00		
2) Supplement Fee <i>(each six month time extension) (each submitted change)</i>	\$10.00		
3) Emergency Permit Card <i>(each card)</i>	\$5.00		
4) Exemption <i>(see back for list of exemptions)</i>			
Applicant FeeTotal:			

These fees are applied to the costs incurred in the preliminary review of the location covered by the permit, and/or spot inspection of the permitted work, and/or subsequent inspection after the permitted work has been completed to ensure compliance with PennDOT specifications and permit provisions

	<u>Unit Fee</u>	<u>Number of Units</u>	<u>Total</u>
5) Driveways			
a) Each minimum use driveway	\$10.00		
b) Each low-volume driveway	\$20.00		
c) Each medium-volume driveway	\$35.00		
d) Each high-volume driveway	\$50.00		
6) Surface Openings <i>(These fees are calculated on the total linear feet of the opening being permitted within the different areas of the right-of-way)</i>			
a) Total Linear feet of opening <i>(each 100 foot increment or fraction thereof):</i>			
(i) Opening in pavement	\$40.00		
(ii) Opening in shoulder	\$20.00		
(iii) Opening outside pavement and shoulder	\$10.00		
b) If a longitudinal opening simultaneously occupies two or more highway areas identified in subparagraph (a), only the higher fee will be charged. Linear distances shall be measured to the nearest foot.			
7) Surface Openings of Less Than 36 Square Feet <i>(e.g. service connections performed independently of underground facility installation, pipe line repairs) (each opening)</i>			
(i) Opening in pavement	\$30.00		
(ii) Opening in shoulder	\$15.00		
(iii) Opening outside pavement and shoulder	\$10.00		
If an opening simultaneously occupies two or more highway access areas identified in subparagraphs (i)-(iii), only the higher fee will be charged.			
8) Above-Ground Facilities <i>(e.g. poles, guys and/or anchors if installed independently of poles)</i>			
a) Up to 10 physically connected above-ground facilities <i>(each continuous group)</i>	\$20.00		
b) Additional above-ground physically connected facilities <i>(each pole with appurtenances)</i>	\$2.00		
9) Crossings <i>(e.g. "overhead" triples, conveyors or pedestrian walkways and "undergrade" subways or mines)</i>	\$80.00		
10) Seismograph-Vibroseis Method <i>(e.g. prospecting for oil, gas)</i>			
a) First mile	\$50.00		
b) Each additional mile or fraction thereof	\$5.00		
11) Non-Emergency Test Holes in Pavement of Shoulder <i>(each hole)</i>	\$5.00		
12) Other <i>(e.g. bank removal, sidewalk and curb)</i>	\$20.00		
Inspection FeeTotal:			

WHITE COPY APPLICANT

YELLOW COPY TOWNSHIP

Grand Total:

Phone: (610) 268-2915
Fax: (610) 268-0458

Email: office@newgarden.org
Website: www.newgarden.org



New Garden Township

BOARD OF SUPERVISORS
299 STARR ROAD
LANDENBERG, PENNSYLVANIA 19350

TOWNSHIP HIGHWAY OCCUPANCY PERMIT APPROVAL CONDITIONS

The issuance of this TOWNSHIP Highway occupancy Permit Approval requires you to comply with all provisions set forth by PennDOT, the New Garden Township Sewer Authority Standards and Specifications, the Subdivision/Land Development Ordinance and all other policies and procedures regulating traffic control and road construction. Required inspections shall be scheduled a minimum of one (1) working day in advance with the Public Works Director (610) 636-2130 or (610) 268-2915.

1. Inspection is required prior to cutting of roadway and establishing traffic control
(Contact Public Works Director)
2. Backfill inspection is required prior to backfilling all excavations.
(Contact Public Works Director)
3. Final Inspection is required upon completion
(Contact Public Works Director)

NOTE: If a water service or sewer lateral is installed, replaced or repaired, a plumbing permit and inspections may also be required. Contact the Codes Department at 610-268-2915, Extension 103 for further information.


Any changes or revisions to this Township Highway Occupancy Permit Approval and associated plans must be approved by the Public Works Director prior to initiating of such changes or revisions.

This approval is under and subject to all conditions, restrictions and regulations prescribed by the Township and any special conditions, restrictions and regulations included as part of issuance of this Township Highway Occupancy Permit approval.

I hereby agree to comply with all terms and conditions associated with the issuance of this Township Highway Occupancy Permit Approval.

SIGNATURE OF APPLICANT


DATE: _____



TYPICAL TRENCH SECTION — OFF ROADWAY

NOTES:

1. THESE DETAILS SUPPLEMENT INFORMATION CONTAINED IN THE TECHNICAL SPECIFICATIONS AND OTHER DETAILS.
2. UNDERGROUND SPLICE CONNECTION SHALL BE MADE WITH SOLDER LESS SPLIT BOLT CONNECTOR AND TAPED WITH UNDERGROUND SPLICING TAPE.
3. PIPE SHALL HAVE 6" AGGREGATE BACKFILL BEDDING AND AGGREGATE BACKFILL AROUND AND 6" ABOVE THE PIPE. AGGREGATE BACKFILL SHOULD BE PER TECHNICAL SPECIFICATION SECTION 02223 OF NEW GARDEN TOWNSHIP SPECIFICATIONS.
4. ALL PIPE SHALL BE INSTALLED IN ACCORDANCE WITH THE RECOMMENDATIONS OF THE PIPE MANUFACTURER AND TOWNSHIP APPROVAL.
5. PROVIDE CONTINUOUS BEARING FOR FULL LENGTH OF PIPE.
6. PLACE CLAY "DAMS" IN STONE BEDDING AT 200 FT. INTERXALS.
7. BACKFILL SHALL BE IN ACCORDANCE WITH SPECIFICATION SECTION 02223.



NOTE:

1. COMPACT ALL BACKFILL TO 95% STANDARD PROCTOR (ASTM D698).
3. THESE DETAILS SUPPLEMENT INFORMATION CONTAINED IN THE TECHNICAL SPECIFICATIONS AND OTHER DETAILS.
4. UNLESS NOTED OTHERWISE, ALL ROAD REPAIRS SHALL BE DONE IN ACCORDANCE WITH THE LATEST REVISION OF THE TOWNSHIP STANDARD DETAIL OR AS PER PENN DOT STANDARDS IF IN A STATE ROAD.

REVISED	